

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	26	(data or dependan\$2) adj (relationship or mapping) same (visual\$3 or display) same (edit or change) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L2	200	(multiple or plurality or "two or more") with (data or dependan\$2) adj (relationship or map\$3) same (visual\$3 or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L3	16398	(data or dependan\$2) with (relationship or map\$3) and "707". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L4	4147	(data or dependan\$2) adj (relationship or map\$3) same (visual\$3 or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L5	231671	(data or dependan\$2) with (relationship or map\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L6	30	(multiple or plurality or "two or more") with (data or dependan\$2) adj (relationship or map\$3) same (visual\$3 or display) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L7	9	(data adj mapping) same (data or dependan\$2) adj (relationship) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35

EAST Search History

L8	3	(data or dependan\$2) adj (relationship or mapping) with (visual\$3 or display) same (direction) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L9	0	(data adj mapping) same (data or dependan\$2) adj (relationship) same (visual\$3 or display) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L10	6345	(data or dependan\$2) adj3 (relationship or map\$3) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L11	2075	(data or dependan\$2) adj (relationship or map\$3) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L12	37	(multiple or plurality or "two or more") with (data or dependan\$2) adj2 (relationship or map\$3) same (visual\$3 or display) and "707".clas. not L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L13	113	(data or dependan\$2) adj (relationship or mapping) with (visual\$3 or display) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L14	40	(data or dependan\$2) near (relationship or mapping) same (visual\$3 or display) same (edit or change) and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35
L15	1	"6968535".pn.	USPAT	OR	ON	2007/11/09 12:35
L16	1	"1510952".pn.	EPO	OR	OFF	2007/11/09 12:35

EAST Search History

L17	5	"7111233".pn. "20040078373".pn. "20030154191".pn. "20030037039". pn. "5787410".pn.	US-PGPUB; USPAT	OR	OFF	2007/11/09 12:35
L18	3	(data or dependan\$2) near (relationship or mapping) same (visual\$3 or display) same (edit or change) and "707/1".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/09 12:35



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

derive "relationship mapping"



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 153 for **derive "relationship mapping"**. (0.18 seconds)

All Results

[D Chang](#)

[C Lau](#)

[T Lee](#)

[T Erl](#)

[N Christianini](#)

[PDF] [Modeling ETL Activities as Graphs - all 10 versions »](#)

P Vassiliadis, A Simitsis, S Skiadopoulos - Proc. DMDW (Toronto, Canada, May 2002) - dbnet.ece.ntua.gr
... The conceptual model for ETL processes along with a methodology for its derivation is described in [VaSS02]. ... **Mapping**: an ordered pair. ...

[Cited by 22](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[AML: an Architecture Meta-Language - all 13 versions »](#)

D Wile - Automated Software Engineering, 1999. 14th IEEE ..., 1999 - ieeexplore.ieee.org
... assumptions. For example, we can specify: **derive** Id Controller II Id Helper
Naturally, these must be proved within some logical framework. ...

[Cited by 24](#) - [Related Articles](#) - [Web Search](#)

[PDF] [A Framework for Mapping Traceability Relationships - all 2 versions »](#)

SA Sherba, KM Anderson, M Faisal - Proceedings of the 2nd International Workshop on ... - soi.city.ac.uk
... requirements traceability tool should be able to **derive** implicit relationships ... This paper presents the **relationship mapping** service of TraceM, our traceability ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Improving market clearing price prediction by using a committee machine of neural networks - all 3 versions »](#)

JJ Guo, PB Luh - Power Systems, IEEE Transactions on, 2004 - ieeexplore.ieee.org
... their success is that they are capable of inferring hidden **relationship (mapping)** in data ... Since the derivation for a single network output is well described in ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[System and method for providing a graphical user interface for mapping and accessing objects in data ... - all 3 versions »](#)

DT Chang, C Lau, T Lee - US Patent 5,627,979, 1997 - Google Patents
... semantics. APPLICATIONS patterns. The objects **derive** their individuality from differ- with onJul. 18, 1994forASYSTEMANDMETHOD FOR ...

[Cited by 95](#) - [Related Articles](#) - [Web Search](#)

[ERONTO: a tool for extracting ontologies from extended E/R diagrams - all 3 versions »](#)

SR Upadhyaya, PS Kumar - Proceedings of the 2005 ACM symposium on Applied computing, 2005 - portal.acm.org

... Figure 4: Binary **relationship mapping** - General case 3.2.1 Representingbinaryrel ationship-Generalcase ... of these object properties have been **derived** by prefix ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

[PDF] [A Metadata Approach to Multimedia Database Federations - all 3 versions »](#)

D Becarevic, M Roantree - Information and Software Technology, 2004 - computing.dcu.ie
... The disadvantage is that each user-defined multi- media class must **derive** from the multimedia class hier- archy defined in the data model. ...

[Cited by 7](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Architecting Object Applications for High Performance with Relational Databases - all 8 versions »](#)

